

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of the Claims:**

1-4. (Cancelled).

5. (Previously Presented) An inductor comprising:

a substrate comprising a semiconductor material;

a first dielectric layer over the substrate;

a first magnetic layer over the first dielectric layer including a slot having a first shape;

a second dielectric layer over the first magnetic layer;

a conductor over the second dielectric layer having a second shape, the first shape is independent of the second shape;

a second magnetic layer over the conductor; and

wherein the first and second magnetic layers comprise an amorphous alloy comprising cobalt, zirconium, and at least one element selected from the list of tantalum, niobium, and a rare earth element.

6. (Previously Presented) An inductor comprising:

a substrate comprising a semiconductor material;

a first dielectric layer over the substrate;

a magnetic layer over the first dielectric layer;  
a second dielectric layer over the magnetic layer; and  
a conductor over the second dielectric layer, the conductor having a first shape;  
wherein the magnetic layer defines at least one slot, the slot having a second shape independent of the first shape of the conductor.

7. (Previously Presented) An inductor comprising:

a substrate comprising a semiconductor material;  
a first dielectric layer over the substrate;  
a first magnetic layer over the first dielectric layer including a slot having a first shape;  
a second dielectric layer over the first magnetic layer;  
a conductor over the second dielectric layer having a second shape, the first shape is independent of the second shape;  
a third dielectric layer over the conductor; and  
a second magnetic layer over the third dielectric layer.

8. (Cancelled)

9. (Original) The inductor of claim 7, wherein the magnetic layers are connected.

10. (Cancelled).

11. (Withdrawn from consideration) The inductor of claim 1, wherein the first dielectric layer and the magnetic layer define one or more trenches and wherein the conductor defines a signal path along the one or more trenches.

12-17. (Cancelled).

18. (Withdrawn from consideration) The inductor of claim 12, wherein the first dielectric layer defines one or more trenches and wherein the conductor defines a signal path along the one or more trenches.